

NEW













CRISTAL³








METALLO - STEEL - ACIER - METALL



-  Coclea in alluminio
Aluminium auger
Vis sans fin en aluminium
Aluminium-schnecke
-  Kit concentrico (opzionale)
Concentric flue kit (optional)
kit de système concentrique (optionnel)
Kit für konzentrisches Ableitungssystem (optional)
-  Porta in ghisa
Cast iron door
Porte en fonte
Gusseisentür
-  Camera stagna
Sealed chamber
Chambre étanche
Dichtes Verbrennungsraum
-  Braciare in ghisa
Cast iron burning pot
Brasero en fonte
Brennschale aus Gusseisen
-  Protezione anti surriscaldamento
Overheating protection
Protection anti surchauffe
Überhitzungsschutz
-  Comfort mode
Comfort mode
Comfort mode
Comfort mode
-  Wi-Fi (opzionale)
Wi-Fi kit (optional)
Wi-Fi (optionnel)
Wi-Fi (optional)
-  Telecomando
Remote control
Télécommande
Fernbedienung
-  Programmazione giornaliera settimanale
Daily weekly programming
Programmation journalière hebdomadaire
Programmierung Tag - Woche
-  Collegamento termostato esterno
Connection to the external thermostat
Liaison thermostat externe
Anschluss zu Außenthermostat
-  Scarico fumi posteriore
Back exhaust
Sortie fumée postérieure
Abgasstutzen Hinten

-  8,6 kW
-  2,4 kW
-  89,1 %
-  92,9 %
-  58 m³ - 206 m³
-  18 kg
Pellet Ø 6 mm
-  0,53 kg/h - 2,01 kg/h
-  9 h - 34 h
-  47 W
-  47 dB - 58 dB
-  98 kg
-  L 51,5 - P 46,5 - H 94,5 cm
-  0,22 m³
-  Ø 80 mm
-  Ø 60 mm



CRISTAL³

7018019  Metallo Rosso / Steel Red / Acier Rouge / Metall Rot

7018020  Metallo Bianco / Steel White / Acier Blanc / Metall Weiss

7018021  Metallo Antracite / Steel Anthracite / Acier Anthracite / Metall Anthrazit

EUROPEAN STANDARDS

Art. 15A B-VG 2015
BImSchV 2015
Regensburg
München
Stuttgart
Aachen



EN 14785:2006

